EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	19834622	JP"2000124964"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/19 13:17
L3	7	(minimum with (leak or voltage) with optim\$3) and (quadrature near3 (receiver or modulation))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/19 13:24
L4	57100	("IQ" or "I/Q" or "I signal" or "Q signal" or ("in" near2 phase near3 signal) or (quadrature near3 signal))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/19 13:38
L5	7432	(375/302,295,296,298).cds. or (330/149,126,151).cds.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/19 13:38
L6	1	L5 and (((correct\$4 or adjust\$4 or optimum or determin\$4) with error with phase) with L4) same (detect\$5 near3 (voltage or output))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/19 13:38
S1	1	"10578006"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/15 16:39
S3	1984	(quadrature near3 modulation) and (('I'O' or "I')G' or "I signal" or "O' signal" or ('I'n' near2 phase near3 signal) or (quadrature near3 signal) with (correct\$4 or adjust\$4 or optimum or determin \$4 or (detect\$5 near3 (voltage or output)) or error))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/15 17:50
S4	2183	[("1Q" or "1/Q" or "1 signal" or "Q signal" or ("in" near2 phase near3 signal) or (quadrature near3 signal)) with (correct\$4 or adjust \$4 or optimum or determin\$4 or (detect\$5 near3 (voltage or output)) or error)).ab.	US PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/15 17:51

S 5	5576	(("IQ" or "I/Q" or "I signal" or "Q signal" or ("in" near2 phase near3 signal) or (quadrature near3 signal)) with (correct\$4 or adjust \$4 or optimum or determin\$4 or (detect\$5 near3 (voltage or output)) or error) with phase)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/15 17:55
S6	1090	(("IQ" or "I/Q" or "I signal" or "Q signal" or ("in" near2 phase near3 signal) or (quadrature near3 signal)) with (correct\$4 or adjust \$4 or optimum or determin\$4 or (detect\$5 near3 (voltage or output)) or error) with phase).ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/15 17:56
S7	194	{(""C" or "I/O" or "I signal" or "Q" signal" or "("in ener? phase near3 signal) or (quadrature near3 signal)) with (correct\$4 or adjust \$4 or optimum or determin\$4 or (detect\$5 near3 (voltage or output))) with error with phase).	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/15 17:56
S8	4	"6650711"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/16 13:02
S9	5	"6359936"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/16 13:06
S10	8	"7158586"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/16 13:10
S11	57079	("IQ" or "I/Q" or "I signal" or "Q signal" or ("in" near2 phase near3 signal) or (quadrature near3 signal))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/16 16:42
S12	91	((correct\$4 or adjust\$4 or optimum or determin\$4) with error with phase) same (detect\$5 near3 (voltage or output)) same \$11	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/16 16:44
S13	42	(((correct\$4 or adjust\$4 or optimum or determin\$4) with error with phase) with S11) same (detect\$5 near3 (voltage or output))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/16 16:58
S14	2336	(minim\$4 with (leak or voltage) with optim\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/16 17:41

S15	18	(minim\$4 with (leak or voltage) with optim\$3) and (quadrature near3 (receiver or modulation))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/16 17:42
S16	9	(sinusoidal near3 correct\$4 near3 (offset or signal)) and (quadrature near3 modulation)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/17 15:34
S17	3	"20060133537"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/17 17:43
S18	9164	(takashi and kato).in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/19 11:53
S19	8	(takashi and kato).in. and (quadrature near3 modulation)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/19 11:53
S20	7432	(375/302,295,296,298).cds. or (330/149,126,151).cds.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/19 11:57
S21	1317	S20 and (quadrature near3 modulation)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/19 11:57

7/ 19/ 2009 1:51:17 PM